

COASTAL HEALTH APPENDICES

Table of Contents

Appendix A: Sources of Coastal Health Threats.....	2
Appendix B: Conditions Governing Recommended Action 1.....	4
Appendix C: Detailed Description and Evaluation of Alternative Approaches to Achieving Goals.....	5
Appendix D: On-Going Efforts in Great Lakes Research.....	11

**APPENDIX A
SOURCES OF COASTAL HEALTH THREATS**

<p>1. Direct Pollution Sources</p> <ul style="list-style-type: none"> • Wet weather overflows (e.g., due to aging or overburdened infrastructure) that result in the release of raw sewage to source waters in urban areas through: <ul style="list-style-type: none"> ○ Sanitary sewer overflows (SSOs) ○ Combined sewage overflows (CSOs) in municipalities where storm and sanitary systems remain co-mingled • Bacterial and chemical pollution from illegal and malfunctioning private sewage treatment systems: <ul style="list-style-type: none"> ○ Septic systems ○ Aerobic systems ○ Diffuse inputs such as run-off from animal feed lots and agrarian sources • Storm water discharge, which can contribute to the fecal burden on bathing waters via storm drains because it may contain fecal contamination from humans (from illegal connections/leaks) or animals. • Direct sewage inputs due to improper disposal of untreated fecal material originating from boats; coastal communities containing large marinas or harbors, and lacking sufficient pumping facilities, are particularly at risk. • Aging and overloaded wastewater treatment and collection infrastructure.
<p>2. Indirect Pollution Sources</p> <ul style="list-style-type: none"> • Storm water runoff, carrying bacterial and chemical pollution as a result of traveling over agricultural, industrial, and/or urban areas^a • Avian/animal deposition • Shedding from bathers • Discharge of untreated onboard boater waste • Industrial discharge/legacy^b • Contaminated sediments (foreshore beach sand and submerged sediments) that release of bacterial (e.g., fecal indicator organisms) and chemical pollutants; especially prevalent in Areas of Concern^c • Groundwater discharge • Algal blooms (can appear during dry weather, but are caused by nutrient loading during wet weather and aquatic invasive species) • Ecosystem/food web changes caused by aquatic invasive species' impact on water quality^d • Air deposition^e
<p>3. Beach and Coastal Assessment Methods</p> <ul style="list-style-type: none"> • Microbial assessment • Physical assessment
<p>4. Threats to Drinking Water Quality</p> <ul style="list-style-type: none"> • Lack of source water protection criteria for pathogens and disinfectant by-products • Outdated drinking water distribution systems • Inconsistent compliance with sewage treatment and control • Weak storm and wastewater enforcement

^a The Nonpoint Source Strategy Team will address rural storm water.

^b Elevated pH levels from industrial legacies are closing beaches.

^c The Areas Of Concern (AOC) Team will address contaminated sediments in greater detail.

^d The Aquatic Invasive Species Team will addresses AIS issues. With particular regard to their impact on near shore water quality, zebra and quagga mussels reduce a lake's ability to assimilate phosphorus and increase the likelihood that harmful algal blooms will occur. Furthermore, because zebra mussels select against Microcystis, they remove its competitors and allow it to bloom.

^e The Persistent Bio-accumulative Toxics (PBT) Team will address air deposition of pollutants in greater detail.

- Sprawling land use with inadequate storm water runoff controls
- Incomplete filtration/removal of contaminants during the drinking water treatment process

APPENDIX B
CONDITIONS GOVERNING RECOMMENDED ACTION 1

- **U.S. EPA and the States should fully implement, enforce, and report on their wet weather control programs to identify and correct deficiencies, including adequate staffing and funding, to ensure the requirements of the CWA are achieved in a timely manner.**
- **Congress should support state and local resources by appropriating \$7.535 billion in federal grants over five years as part of a 55/45 percent federal/local cost share to raise \$13.70 billion to fund wastewater treatment improvements.** Rules governing the disbursement of funds will include but not be limited to the following:
 - Grants will only be awarded to communities with approved programs addressing wet weather controls of CSOs, SSOs, storm water runoff, and wastewater treatment plant bypasses.
 - Priority funding will go to communities who can demonstrate that non-structural controls, such as local land use regulations and best management practices that reduce or eliminate storm water flows into the system, are employed to the greatest extent possible.^f
 - Plans must include provisions for review and updating industrial pretreatment programs to reduce the discharge of toxics to sewage treatment systems. (See PBT section for further detail.)
 - A discretionary provision for reimbursing communities that implement overflow controls as part of comprehensive programs, consistent with grant criteria, before October 1, 2008.
 - A discretionary provision for rewarding those communities that fully implement and achieve their comprehensive wet weather control plan before 2012.
- **Congress should appropriate \$10 million over five years to the three U.S. EPA regions to review and upgrade their Great Lakes wet weather programs – including the CSO Control Policy, NPDES permit issuance and enforcement, storm water management – to insure that issues are addressed comprehensively.**
 - The 1994 national CSO Control Policy, for example, established no deadline for final compliance with overflow reduction targets by all municipalities.
 - The “anti-degradation” mandate of the CWA needs federal guidance to allow States to implement rules prohibiting new hook-ups to wastewater systems that do not control wet weather overflows.
- **Congress should appropriate \$40 million over five years to the Great Lakes States to administer a new grants program, review and upgrade all of their wet weather programs (including NPDES permits and enforcement), and implement anti-degradation rules in relation to sewage system expansions.**
 - The focus of this approach is on comprehensive solutions involving construction items, storm water controls, policy revision, strict monitoring and enforceable schedules.
 - Funding and permits for future sewer district expansions will be tied to having a comprehensive plan and ongoing compliance with timelines set out in NPDES permits or other enforceable documents.
 - Educate owners about regular maintenance of on-site sewage disposal systems (OSDS)^g to prevent health and environmental hazards associated with failures. Local^h regulations should require regular maintenance and inspection, by private evaluators, at the time of residential property sale.

^f See, for example, Center for Watershed Protection, “Model Land Development Principles,” www.cwp.org, also quoted in full in the International Joint Commission’s 2001-2003 *Priorities Report*.

^g On-site sewage disposal systems (OSDS), commonly known as septic systems, are wastewater treatment systems that use septic tanks and drainfields to dispose of sewage below the ground surface. Time and neglect will result in a failure of an OSDS that can cause serious public health and water quality problems in waterways.

^h Whether to conduct feasibility evaluations of central sewers in areas with high concentrations of OSDSs should be a local decision based upon health and related considerations by the local community. The decision should be left to locals to adopt regulations that address the problem.

APPENDIX C
DETAILED DESCRIPTION AND EVALUATION OF ALTERNATIVE APPROACHES TO
ACHIEVING GOALS

1. Alternative Approaches to Controlling Direct Pollution Sources (Wet Weather Events)

Federal and state statutory or regulatory requirements currently exist to address and control the adverse impacts of wet weather overflows including CSOs, SSOs, storm water, beach closings, etc. For several reasons, administration of these programs at the federal and state levels has not resulted in the full achievement of the goals and requirements of the Clean Water Act. For example, as of February 2005, of the 147 CSO communities in the Great Lakes basin only 77 have completed or are in the process of implementing Long Term Control Plans (LTCPs)ⁱ to achieve the requirements of controlling CSOs. SSOs are prohibited under the Clean Water Act, yet many communities still have chronic SSOs. Excessive storm water is entering the sewerage systems using needed capacity to convey sewage; sewerage systems are overloaded such that communities need to bypass part of their flows around portions of their wastewater treatment plants.^j A major impediment to progress on reducing inputs of untreated waste to Great Lakes waters has been lack of funding for the high infrastructure costs typically involved. For example, U.S. EPA and States estimate costs for addressing the remaining CSOs in the Great Lakes basin at \$8.6 billion, and total costs for minimizing discharges of untreated human waste from CSOs, SSOs^k and treatment plants at \$13.75 billion.¹

The Coastal Health Strategy Team evaluated three alternatives for abating wet weather overflows.

Alternative 1 is to continue the present approach for eliminating CSOs through community-developed long-term control plans (LTCPs) in compliance with the national CSO Policy and Clean Water Act. Apart from municipal bonds and user fees, the State Revolving Fund (SRF) is the primary source of funding.

Cost/Feasibility Considerations:

- The SRF is significantly under-funded. For example, for the eight Great Lakes States, total SRF funding in 2005 was \$393 million, with \$260 million budgeted for 2006. Less than half of these amounts will be directed to communities within the basin without funding assistance, even municipalities that have LTCPs may not be able to implement them, and state and federal regulatory agencies cannot hire the personnel to monitor and enforce NPDES permits.

Advantages/Disadvantages:

ⁱ According to the Water Divisions in EPA Regions V and II, there are 129 Great Lakes CSO communities in Region V, 1 in Region III, and 27 in Region II. Sixty of these in Region V, 1 in Region III, and 16 in Region II have completed or are implementing LTCPs.

^j Not all wet weather overflows are from CSOs and SSOs. Numerous wastewater treatment plants experience excessive wastewater flows that result in the bypassing of untreated or partially treated wastewater. Such problems contribute excessive pollutants to the Great Lakes Basin and should be controlled by improvements in the sewerage collection system or treatment plant expansion.

^k Many Great Lakes communities also have SSOs. Properly designed, operated, and maintained sanitary sewer systems are meant to collect and transport all of the sewage that flows into them to a publicly owned treatment works for proper treatment. SSOs mainly occur because of unwanted water infiltration into the system during wet weather, or inadequate system operation and maintenance. Untreated sewage from these overflows can cause serious water quality problems and also back-up into basements causing property damage and threatening public health. SSOs are prohibited under the CWA other than in unique circumstances that are approved by the regulatory agency.

¹ It should be noted that these costs are based upon the installation of “hard” controls, i.e. construction projects, and do not reflect cost savings that could be realized through the use of “soft” controls, i.e. use of best management practices, etc, to reduce the amount of storm water entering the sewerage system.

- Time schedules and funding sources to achieve full compliance are undefined. For almost half of the basin’s CSO communities that have not yet developed LTCPs, control of CSOs is years away.
- Focus is on CSOs, not a system-wide or comprehensive approach to wet weather overflows. A piecemeal approach may lead to overflows elsewhere in the system (e.g., Milwaukee case).
- Focus is on percent reductions in discharge volumes, not on monitoring impacts on receiving waters. This may not accomplish the overarching goal or adequately protect sensitive or recreational areas.

Alternative 2 looks for major federal investment in construction projects such as additional treatment facilities, storm and sanitary sewer separation, deep tunnel construction, controls to eliminate infiltration and inflow of storm and ground water, and related physical facilities.

Cost/Feasibility Considerations:

- Costs will be excessive in large metropolitan areas as the focus is mainly “end of the pipe,” i.e., not based on minimizing flows into the system, although new storm sewers would be subject to U.S. EPA storm water permit requirements.

Advantages/Disadvantages:

- In some cases, this approach may totally eliminate wet weather overflows.
- This approach does not address the underlying problem of increasing demand and increasing impermeable surface areas in sewersheds.
- Deep tunnel storage may negatively impact groundwater.
- Projects may involve extensive disruption to travel/access as roads are torn up for construction activities.
- Long time periods may be needed to complete the projects.

Alternative 3, as outlined in the main document, is the preferred alternative as it is the most cost-effective with the most advantages. Comprehensive solutions may include:

- Structural controls such as separating storm and sanitary sewers, constructing storage capacity, or controlling infiltration/inflow (I/I);
- Non-structural controls such as land use planning and aggressive use of best management practices to minimize impervious surfaces and prohibit increases in storm water run-off; and
- Regulatory controls such as updating and enforcing NPDES permits, and implementing more rigorous antidegradation guidance.

Cost/Feasibility Considerations:

- *Refer to the main document for a discussion of cost and feasibility considerations.*

Advantages/Disadvantages:

- *Refer to the main document for a discussion of advantages and disadvantages.*

2. Alternative Approaches to Controlling Indirect Pollution Sources (Dry Weather Impacts)

A holistic watershed approach to beach management will improve the identification of contamination sources at the local level, encourage remediation of those sources, ensure the protection of public health through a risk-based approach, decrease economic loss, and increase commercial benefits. To attract tourism and improve the economy of municipalities, investments in the development and maintenance of healthy and attractive beach recreational opportunities need to be a part of regional planning. The economic loss to a community from a swim closure day has been estimated to range from \$1,274 to \$37,030/day.^m Commercial benefits for an individual Great Lake beach projected over the swimming

^m Rabinovici S.J.M., R.L. Bernknopf, D.L. Coursey, A.M. Wein, and R. L. Whitman. *et al.* 2004. Economic and health risk trade-offs of swim closures at a Lake Michigan beach. *Environ. Sci. Technol.* 38 (10):2737-2745.

season would range from a low of \$100,000 to over \$3,000,000. For major municipalities, the economic value of beach recreational opportunities is estimated to exceed \$100,000,000 per beach per season. With more than 800 beaches in the Great Lakes basin, healthy beaches can be a major driver of the economy of the Great Lakes.

The Coastal Health Strategy Team evaluated two alternatives for abating dry weather impacts.

Alternative 1 is to develop beach management practices designed to reduce bacterial or chemical contamination originating from beach sands. Beach sands have been proven to harbor bacterial indicators of bathing water quality (with the possibility of replication) and, potentially, human pathogens. When beach sands are located in the vicinity of storm drains or receive large amounts of water from other sources, such as run-off, there is also the potential for chemical contaminants to be deposited.

Components of this approach include the following:

- Alter mechanical beach grooming practices to reduce bacterial concentration in beach sands.
- Change the grade/slope of the beach to promote adequate infiltration of surface runoff.
- Construct bio-retention basins or wetland areas to improve storm water management.
- Modify habitat to reduce the attraction of nuisance wildlife.
- Construct berms or grassy buffers to reduce the impacts of surface runoff.

Cost/Feasibility Considerations:

- Conducting feasibility studies on a large scale may be costly, however, representative beaches depicting a variety of conditions could be chosen as surrogates rather than conducting a study at each Great Lakes beach.
- Alternatively, prior studies could be validated at additional sites.
- Baseline levels would need to be determined in order to calculate reductions.

Advantages/Disadvantages:

- A comprehensive study of the behavior of bacterial indicators and pathogens in beach sands would allow for best management practices to be developed.
- Comprehensive studies regarding the relative contribution of chemical contaminants would aid in the fine-tuning of existing storm water management plans.
- Using bio-retention basins and wetlands to filter bacterial and chemical contaminants from storm water and surface run-off would have the added benefit of restoring habitat.
- Extrapolating the results of focused studies to non-participant beaches would not take into account local variability.
- The cost of reproducing sediment studies may be prohibitive for some municipalities without an external source of funding.

Alternative 2 is to develop and implement best management practices resulting in habitat modification. Specifically, this approach would implement management practices that reduce the burden of non-human fecal contamination through the modification of habitats that promote the development of sustainable populations of nuisance waterfowl.

Cost/Feasibility Considerations:

- With regard to resident or roosting waterfowl, rookeries may need to be identified and multiple deterrent techniques may need to be tested in order to assess their efficacy. This would require funding for controlled studies.
- Significant costs could be incurred to make some beach sites less attractive to wildlife.
- Pet owners may express significant concern; alternatives may need to be identified, i.e., dog parks.

Advantages/Disadvantages:

- Not all techniques may be feasible in all locations.

- Any management practices developed would need to conform to existing U.S. EPA, DNR, or other agency guidelines regarding the handling of domestic, resident or migratory wildfowl/animals.
- The relative contribution from wild vs. domestic inputs may need to be determined prior to implementing any management practices. This may prove difficult.

3. Alternative Approaches to Improving Beach and Coastal Assessment Methods

The Coastal Health Strategy Team evaluated five alternatives for reducing bathing water quality failures. Two are described below; the other three are included in the Coastal Health chapter recommendation.

Alternative 1 is to implement pilot projects to identify pollution sources at Great Lakes beaches which will allow managers to develop remedial action plans for the reduction or elimination of these sources of contamination. Components of this approach include the following:

- Develop pilot projects, based on microbial source tracking and/or spatial distribution studies, which will identify pollution sources at Great Lakes beaches.
- Based on the sources of contamination identified, develop remedial action plans which reduce the impacts from these sources.

Cost/Feasibility Considerations:

- Source identification pilot projects must be funded.
- Remediation projects must be funded.
- Costs are required to train staff to conduct source identification and remediation projects.

Advantages/Disadvantages:

- Projects will provide information on pollution sources that are contributing to water quality standards exceedances at beaches and steps needed to provide better protection of public health.
- Findings/solutions may be applicable at other Great Lakes beaches.
- Several source identification projects are going on along the Great Lakes; project managers can collaborate with other beach managers for ideas on what works.
- Workshops are available to train staff on identifying beach contamination sources.
- Resulting information can be used to develop a predictive model for high bacteria counts at beaches.
- Funding sources must be secured to implement source identification and remediation projects as well as to train staff.
- Contributing sources are difficult to pin-point.
- Pilot projects are resource-intensive.

Alternative 2 is to adopt the use of a beach classification scheme. In 1999, the U.S. EPA and WHO jointly hosted a meeting in Annapolis, Maryland to develop a health-risk-based approach to monitoring recreational waters. This approach includes employment of a beach classification scheme (based on the results of sanitary surveys), in addition to compliance monitoring based on bacterial indicators to assess health risk. The regulation of recreational waters in this manner would better reflect health risk and provide enhanced scope for effective management intervention. Enabling beach managers to respond to sporadic or limited areas of pollution, and to upgrade a beach's classification, provides a significant incentive to local management actions as well as to pollution abatement. A large number of factors can influence the condition of a given beach. A classification system reflects this, and allows regulators to invoke mitigating approaches for beach management. Specifically, this approach calls for the development of a health-risk based beach classification system for the Great Lakes based on bacterial indicator levels (microbial assessment) derived from routine monitoring and the results of standardized sanitary surveys.

Cost/Feasibility Considerations:

- Costs to study the relationships between factors that affect beach water quality and the ability of monitoring schemes to detect these changes.
- Funding pilot studies to evaluate the approach.

Advantages/Disadvantages:

- The approach requires substantial testing.
- Field testing would need to be amended to take into account local circumstances.
- Information concerning the existence of sources of contamination and their likely influence upon recreational water quality could provide a robust and rapid means to increase the reliability of the overall assessment.

4. Alternative Approaches to Protecting Drinking Water Quality

The Coastal Health Strategy Team evaluated two alternative approaches for maintaining safe drinking water.

Alternative 1 is a comprehensive approach to source water supply protection based on integrating the national policies contained in the Safe Drinking Water Act for source assessment and water quality standards with the Patriot Act for Homeland Security requirements of critical infrastructure plans for designated public drinking water supply systems. The Safe Drinking Water Act (SDWA) was originally passed by Congress in 1974 to protect public health by regulating the nation's public drinking water supply. The law was amended in 1986 and 1996 and requires many actions to protect drinking water and its sources: rivers, lakes, reservoirs, springs, and ground water wells. (SDWA does not regulate private wells which serve fewer than 25 individuals.) SDWA authorizes the U.S. EPA to set national health-based standards for drinking water to protect against both naturally-occurring and man-made contaminants that may be found in drinking water. U.S. EPA, States, and public water systems are currently working together to make sure that these standards are met through various levels of water treatment.

Originally, SDWA focused primarily on treatment as the means of providing safe drinking water at the tap. The 1996 amendments greatly enhanced the existing law by recognizing source water protection, operator training, funding for water system improvements, and public information as important components of safe drinking water. This approach ensures the quality of drinking water by protecting it from source to tap. The 1996 amendments also provided \$120 million nationally for States to conduct source water assessments for every public water supply. The source water assessments found that many public water systems are moderately to highly susceptible to contamination, both nationally and within the Great Lakes basin, although intakes in the Great Lakes themselves tended to be less susceptible.

In response, the States have been given some flexibility to use their Drinking Water State Revolving Funds (SRF) for source water protection activities, but no program requirements, other than drinking water quality standards, nor dedicated and sustainable source of funding is available for source water protection implementation. The 1999 U.S. EPA Drinking Water Needs Survey found the need for \$102 billion in immediate infrastructure improvements for the nation's drinking water treatment and distribution system and \$150 billion over the next 20 years. In the Great Lakes basin, the eight States identified the need for over \$44.5 billion. However, Congress has only authorized \$9.6 billion in initial SRF funding and only \$843 million was appropriated nationally in FFY 2005. Approximately \$224 million of the FY 05 appropriation went to the Great Lakes States.

The U.S. Patriot Act of 2004 includes public drinking water intake, treatment, transmission and storage facilities as “critical infrastructure” because the incapacity or destruction of these systems and assets

would have a debilitating impact on the security, national economic security, national public health or safety, or any combination of these. With assistance of federal agencies, municipalities are required to have developed critical infrastructure protection plans and to implement protective measures accordingly.

This approach would go further than these existing authorities by authorizing the development and implementation of a source water protection program that includes a sustainable and fully-funded Safe Drinking Water Revolving Fund (SDWRF) and allows the States and local municipalities greater flexibility in how the funds may be used. This approach builds upon the existing national policies contained in the Safe Drinking Water Act and Patriot Act by developing and implementing a source water protection program that provides a sustainable funding mechanism for States and municipalities. It also includes integrating the Homeland Security requirements of critical infrastructure plans for public drinking water supply systems.

Cost/Feasibility Considerations:

- More funds should be made available to implement source water protection best management practices at the local level by increasing funds allocated to the SRF and increasing the States' flexibility to program those funds for source water protection.
- The financial benefit of preventative protection is the avoidance of costs incurred if protection is not achieved: treatment, remediation, finding and establishing new water supplies; providing bottled water, consulting services and staff time; legal costs of litigating against responsible parties; and conducting public information campaigns to satisfy public and media interest in incidents of source water contamination.
- Source water protection provides beneficial savings by reducing the cost of complying with regulations such as the Safe Drinking Water Act, reducing water treatment (i.e., filtration, disinfection, and removing disinfection byproducts), and earning monitoring requirement waivers thereby reducing monitoring costs.

Advantages/Disadvantages:

- No time is lost developing new public policies.
- Great Lakes basin policies are consistent with national priorities.
- The emphasis is on implementation actions at the state/local municipal level that integrate both capital improvement and best management practices.
- An existing Safe Drinking Water Revolving Fund exists to provide a sustainable funding mechanism.
- Estimated \$44.5 billion needed by Great Lakes States for drinking water infrastructure improvements, including source water protection implementation.

Alternative 2 is a focused approach primarily addressing the immediate needs of aged and deteriorating public drinking water systems in major Great Lakes municipalities by establishing a new critical infrastructure construction grant program that complements the current SDWRF. The primary emphasis of this approach is on the immediate and significant investment needed to upgrade aged and deteriorating public drinking water systems through a critical infrastructure construction grant program. This approach integrates national authorities under the SDWA and Patriot Act, but requires a new funding mechanism in addition to the SDWRF.

Cost /Feasibility Considerations:

- Costs for implementing construction projects, especially in major Great Lakes cities, will be excessive but critical.
- States and local municipalities have limited capacity for matching funds.

Advantages/Disadvantages:

- Would require legislation to establish new construction grant program.
- By focusing on aged infrastructure alone, would not address source water protection.

APPENDIX D ON-GOING EFFORTS IN GREAT LAKES RESEARCH

Human well-being and progress toward sustainable development are vitally dependent upon improving the management of Earth's ecosystems to ensure their conservation and sustainable use; without this, preservation services will be diminished, including those nonmaterial benefits, such as recreation and ecotourism, obtained from these ecosystems (Millennium Ecosystem Assessment – <http://www.millenniumassessment.org/en/index.asp>, last accessed 16th January 2005). The loss of recreational use can have an economic impact as well as create public dissatisfaction through loss of utility and, therefore, must be addressed through the formation of sound public policy. In his April 2000 Millennium Report to the United Nations (UN) General Assembly, UN Secretary-General Kofi Annan stated that it was “impossible to devise effective environmental policy unless it is based on sound scientific information.” The studies presented below represent a sampling of the intensive scientific studies necessary to detect direct and indirect contamination sources, improve beach and coastal assessment methods, and ensure the quality of drinking water originating from the Great Lakes.

JOURNAL ARTICLES AND PUBLICATIONS

Direct Pollution Sources (CSO, SSO, septic systems, storm water discharge, rivers and streams)

- Byappanahalli, M., M. Fowler, D. Shively and R. Whitman. 2003. Ubiquity and persistence of *Escherichia coli* in a Midwestern coastal stream. *Appl. Environ. Microbiol.* 69(8): 4549 – 4555.
- Davies-Colley, R.J., R.G. Bell, and A.M. Donnison. 1994. Sunlight inactivation of enterococci and fecal coliforms in sewage effluent diluted in seawater. *Appl. Environ. Microbiol.* 60, 2049-2058.
- Geldreich, E.E. 1978. Bacterial populations and indicator concepts in feces, sewage, stormwater and solid wastes. *In: G. Berg (Ed.), Indicators of viruses in water and food*, pp. 51-97. Ann Arbor Science Publishers, Inc., Ann Arbor, MI.
- Irvine, K.N. and G.W. Pettibone. 1993. Dynamics of indicator bacteria populations in sediment and river water near a combined sewer outfall. *Environ. Technol.* 14, 531-542.
- Levitt, J.T., van der Kraak, G., and Sorensen P.W., 2002. Ten-Week Exposure to Treated Sewage Discharge has Relatively Minor, Variable Effects on Reproductive Behavior, and Sperm Production in Goldfish. *Environ. Toxicol. Chemistry* 21(10): 2185-2190.
- McCauley, D. J. 2001. Stormwater Source Identification, Sampling and Analysis at Select Storm Drains and Tributaries to Grand Traverse Bay (Lake Michigan). A Report to the Watershed Center Grand Traverse Bay. Great Lakes Environmental Center Traverse City, MI.
- McDonald, A., Kay, D., A. Jenkins, 1982. Generation of fecal and total coliform surges by stream flow manipulation in the absence of normal hydrometeorological stimuli. *Appl. Environ. Microbiol.* 44, 292-300.
- McLellan S.L., and E.T. Jensen. 2003. Lake Michigan Beaches: Urban Stormwater and Water Quality Advisories. *Lakeline* 23:27-29.
- McLellan, S.L. 2004. Genetic diversity of *Escherichia coli* isolated from urban rivers and beach water. *Appl. Environ. Microbiol.* 70:4858-65.

Nicosia, L.A., J.B. Rose, L. Stark, and M.T. Stewart. 2001. A Field Study of Virus Removal in Septic Tank Drainfields. *J. Environ. Quality* 30(6):1933-1939.

Olyphant, G., J. Thomas, R. Whitman and D. Harper. 2003. Characterization and statistical modeling of bacterial (*Escherichia coli*) outflows from watersheds that discharge into southern Lake Michigan. *Environ. Monitoring and Assessment* 81(1-3): 289 – 300.

Salmore, A.K., E.T. Jensen, and S.L. McLellan. Delineation of a chemical and biological signature for stormwater pollution in urban rivers. *Journal of Water & Health (in press)*

Sherer, B.M., J.R. Miner, J.A. Moore, and J.C. Buckhouse. 1992. Indicator bacterial survival in stream sediments. *J. Environ. Qual.* 21, 591-595.

Indirect Pollution Sources (algal blooms, wildlife, runoff, beach sands, contaminated sediments, groundwater)

Alm, E., J. Burke, and A. Spain. 2003. Fecal indicator bacteria are abundant in wet sand at freshwater beaches. *Water Research* 37(16), 3978-3982.

Bolton, F.J., S. B. Surman, K. Martin, D.R.A. Wareing, and T.J. Humphrey. 1999. Presence of campylobacter and salmonella in sand from bathing beaches. *Epidemiol. Infect.* 122, 7-13.

Byappanahalli, M., D. Shively, M. Nevers, M. Sadowsky and R. Whitman. 2003. Growth and survival of *Escherichia coli* and enterococci populations in the macro-algae *Cladophora* (Chlorophyta). *FEMS Microbiol. Ecology* 1575(2003): 1 – 9.

Calderon, R.L., E.W. Mood, and A.P. Dufour. 1991. Health effects of swimmers and nonpoint sources of contaminated water. *Int. J. Environ. Health Res.* 1, 21-31.

Casman, E., B. Fischhoff, M. Small, H. Dowlatabadi, J. Rose, and M. Morgan. 2001. Climate Change and Cryptosporidiosis: A Qualitative Analysis. Kluwer Academic Publishers. *Climatic Change* 50: 219-249.

Esenreich, S.J., Hollod, G.J., and Johnson, T.C. Atmospheric Concentrations and Deposition of Polychlorinated Biphenyls to Lake Superior. Chapter 21 *in* Atmospheric Pollutants in Natural Waters.

Fogarty, L., S.K. Haack, M.J. Wolcott and R. Whitman. 2003. Abundance and characteristics of the recreational water quality indicator bacteria *Escherichia coli* and enterococci in gull faeces. *J. Appl. Microbiol.* 94(5): 865 – 878.

Garza EL, and R.L. Whitman. 2004. The nearshore benthic invertebrate community of southern Lake Michigan and its response to beach nourishment *J. Great Lakes Research* 30 (1): 114-122.

Guan, S., R. Xu, S. Chen, J. Odumeru and C. Gyles. 2002. Development of a procedure for discriminating among *Escherichia coli* isolates from animal and human sources. *Appl. Environ. Microbiol.* 68: 2690 – 2698.

Hancock, C.M., J.B. Rose, and M.R. Callahan. 1998. *Crypto* and *Giardia* in US Groundwater. *J. Amer. Water Works Assoc.* 90:58-61.

Hatch, J.J., 1996. Threats to public health from gulls (Laridae). *Int. J. Environ. Health Res.* 6, 5-16.

- Kinzelman, J. 2002. Microbiological Examination of Recreational Water, Sand & Sediment at North Beach, Racine, WI, June 2002 (Masters Thesis)
- Kinzelman, J., S. L. McLellan, A. D. Daniels, S. Cashin, A. Singh, S. Gradus, and R. C. Bagley. 2004. Non-point Source Pollution: Determination of Replication versus Persistence of *Escherichia coli* in Surface Water and Sediments with Correlation of Levels to Readily Measurable Environmental Parameters, *J. Wat. Health* 2(2): 103-114.
- Levesque, B., P. Brousseau, F. Bernier, E. Dewailly, and J. Joly. 2000. Study of the bacterial content of ring-billed gull droppings in relation to recreational water quality. *Wat. Res.* 34, 1089-1096.
- Levesque, B., P. Brousseau, P. Simard, E. Dewailly, M. Meisels, D. Ramsay, D., and Joly, J., 1993. Impact of the ring-billed gull (*Larus delawarensis*) on the microbiological quality of recreational water. *Appl. Environ. Microbiol.* 59, 1228-1230.
- McLellan S.L. and A.K. Salmore. 2003. Evidence for localized bacterial loading as the cause of chronic beach closings in a freshwater marina. *Water Research* 37:2700-8.
- Mendes, B., M.J. Nascimento, and J.S. Oliveira. 1993. Preliminary characterization and proposal of microbiological quality standard of sand beaches. *Water Sci. Technol.* 27, 453-456.
- Moulton-Hancock, C., J.B. Rose, G.J. Vasconcelos, S.I. Harris, P.T. Klonicki, and G.D. Sturbaum. 2000. *Giardia* and *Cryptosporidium* occurrence in groundwater. *J.Amer. Water Works. Assoc.* 92:117-123.
- Papadakis, J.A., A. Mavridou, S.C. Richardson, M. Lampiri, and U. Marcelou. 1997. Bather-related microbial and yeast populations in sand and seawater. *Wat. Res.* 31, 799-804.
- Sampson, R., S. Swiatnicki, V. Osinga, J. Supita, C. McDermott, and G. Kleinheinz. 2004. Effect of temperature and sand on *E. coli* survival in a lake water microcosm. *Submitted: Journal of Water and Health.*
- Sampson, R., S. Swiatnicki, C. McDermot and G. Kleinheinz. 2004. The effects of rainfall on *E. coli* and total coliform levels at 15 Lake Superior Beaches. *Submitted: Water Resource Management.*
- Shively, D., H. Pawlik, M. Nevers, and M. Byappanahalli. 2003. Occurrence of *Escherichia coli* in *Cladophora* (Chlorophyta) in nearshore water and beach sand of Lake Michigan. *Appl. Environ. Microbiol.* 69(8): 4714 -4719.
- Slifko, T.R., D.E. Huffman, D. Bertrand, J.H. Owens, W. Jakubowski, C.N. Haas, and J.B. Rose. 2002. Comparison of Animal Infectivity and Cell Culture Systems for Evaluation of *Cryptosporidium parvum* oocysts. *Exp. Parasit.* 101:97-106.
- Standridge, J., J. J. Delfino, L. B. Kleppe and R. Butler. 1979. The effect of waterfowl (*Anas platyrhynchos*) on indicator bacteria populations in a recreational lake in Madison, Wisconsin. *Appl. Environ. Microbiol.* 38:547-550.
- Whitman, R. L. and M. B. Nevers. 2003. Foreshore sand as a source of *Escherichia coli* in Nearshore water of a Lake Michigan beach. *Appl. Environ. Microbiol.* 69(9): 5555 – 5562.

Whitman, R., D. Shively, H. Pawlik, M. Nevers and M. Byappanahalli. 2003. Occurrence of *Escherichia coli* and enterococci in *Cladophora* (Chlorophyta) in nearshore water and beach sand of Lake Michigan. *Appl. Environ. Microbiol.* 69(8): 4714 – 4719.

Beach and Coastal Assessment Methods

Bolin, C., C. Brown and J. Rose. 2004. Emerging zoonotic diseases and water. IN: *Waterborne Zoonoses, Identification, Causes and Control*, Cotruvo, J.A, Dufour, A., Rees, G. Bartram J., Carr, R., Cliver, D.O., Craun, G.F., Fayer, R. and Gannon, V.P.J. (eds) WHO, U.S. EPA and IWA publishing, London, UK.p.19-26.

Bonde, G.J., 1966. Bacteriological methods for estimation of water pollution. *Health Lab. Sci.* 3, 124-128.

Brenner, K.P., C.C Rankin, Y.R. Roybal, G.R. Stelma, P.V. Scarpino, and A.P. Dufour. 1993. New medium for simultaneous detection of total coliforms and *Escherichia coli* in water. *Appl. Environ. Microbiol.* 59, 3534-3544.

Brinkman N.E., R.A. Haugland, L.J. Wymer, M.N. Byappanahalli, R.L. Whitman, and S.J. Vesper. 2003. Evaluation of a rapid, quantitative real-time PCR method for enumeration of pathogenic *Candida* cells in water. *Applied and Environmental Microbiology* 69(3), 1775-1782.

Bruesch, M.E. and S.L. McLellan. 2003. *Beach Monitoring in Milwaukee*. Wisconsin Great Lakes Chronicle 2003 edition.

Cabelli, V.J., A.P. Dufour, L.J. McCabe, and M.A. Levin. 1982. Swimming-associated gastroenteritis and water quality. *Am. J. Epidemiol.* 115, 606-616.

Cabelli, V.J., H. Kennedy, and M.A. Levin. 1976. *Pseudomonas aeruginosa*-fecal coliform relationships in estuarine and fresh recreational waters. *J. Wat. Poll. Control Fed.* 48, 367-376.

Dombek, P., L. Johnson, S. Zimmerley and M. Sadowsky. 2000. Use of repetitive DNA sequences and the PCR to differentiate *Escherichia coli* isolates from human and animal sources. *Appl. Environ. Microbiol.* 66: 2572 – 2577.

DuFour, A. P. 1984. *Health Effects Criteria for Fresh Recreational Waters*. EPA 600/1-84-004, United States Environmental Protection Agency, Cincinnati, OH.

DuFour, A. P. 1992. *Water Quality Health Effects Criteria for Marine and Fresh Recreational Waters: A Review of Studies Carried Out in the United States of America*, in Annex 1 of *Health Risks from Bathing and Marine Waters*, a report on a joint WHO/UNEP meeting. WHO regional office for Europe.

Dufour, A.P. 1984. Bacterial indicators of recreational water quality. *Can. J. Public Health* 75, 49-56.

Francy D.S. and R.A. Darner. Comparison of methods for determining *Escherichia coli* concentrations in recreational waters *Water Research* 34 (10): 2770-2778 2000

Griffin, D.W, K.A. Donaldson, J.P. Paul and J. B. Rose. 2003. Pathogenic Human viruses in Coastal Waters. *Clin. Microbiol. Rev.* 16(1):129-143.

- Griffin, D.W., E.K. Lipp, M.R. McLaughlin, and J. Rose. 2001. Marine Recreation and Public Health Microbiology: Quest for the Ideal Indicator. *BioScience*. 51(10): 817-825.
- Haack, S.K., L. Fogarty and C. Wright. 2003. Escherichia coli and enterococci at beaches in the Grand Traverse Bay, Lake Michigan: sources, characteristics, and environmental pathways. *Environ. Sci. Technol.* 37(15): 3275 – 3282.
- Heath Kelsey, R., I. Geoffrey Scott, E. Dwayne Porter, B. Thompson and L. Webster. 2003. Using multiple antibiotic resistance and land use characteristics to determine sources of fecal coliform bacterial pollution. *Environ. Monitoring Assess.* 81(1-3): 337 – 348.
- Jacobsen, Wade. 1997 Summary of U.S. Great Lakes Beach Closings 1981-1994 USEPA. EPA 905-R97-003
- Jenkins, T.M., T.M. Scott, J.R. Cole, S.A. Hashsham and J.B. Rose. 2004. Assessment of virulence-factor activity relationships (VFARs) for waterborne diseases; *Wat. Sci. & Tech.* 50 (1): 309-314.
- Jensen, E.T. and S.L. McLellan. 2004. Beach Closings: Scientific Studies and Public Perception. Submitted for publication to ActionBioscience.org
- Kinzelman, J. 2004. Integrating Research and Beach Management Strategies for the Improvement of Public and Environmental Health - Sustainable Beaches Summit, Sandestin, FL, March 2004 (Published in the conference proceedings of the *Sustainable Beaches Summit, Sandestin, FL, March 2004*)
- Kinzelman, J. 2004. Wisconsin Water - Our Way of Life: Protect, Racine Beach Health Monitoring, p. 15. In L. Wessel and S. Cook (ed.), *Wisconsin Water - Our Way of Life an Action Guide for Community Leaders*, July 2004. Madison Environmental Group, Madison, WI.
- Kinzelman, J., A. Singh, C. Ng, K. Pond, R. Bagley, and S. Gradus. 2004. Use of IDEXX Colilert-18 and Quanti-Tray/2000 as a More Rapid and Simple Enumeration Method for the Detection of *E. coli* in Recreational Freshwater, *Lake and Reserv. Manage.* 21(1): 73 -77.
- Kinzelman, J., C. Ng, E. Jackson, S. Gradus and R. Bagley. 2003. Enterococci as indicators of Lake Michigan recreational water quality: comparison of two methodologies and their impacts on public health regulatory events. *Appl. Environ. Microbiol.* 69(1): 92 – 96.
- Kinzelman, J., K. Longmaid, and R. Bagley. 2004. The Effect of Two Mechanical Beach Grooming Strategies on *Escherichia coli* Density in Beach Sand at a Southwestern Lake Michigan Beach, *Aquatic Ecosystem Health Manag.* 7(3): 1-8.
- Kinzelman, J., R. Whitman, M. Byappanahalli, E. Jackson, and R. Bagley. 2003. Evaluation of Beach Grooming Techniques on *Escherichia coli* Density in Foreshore Sands at North Beach, Racine, WI. *Lake and Reserv. Manage.* 19(4): 349-354.
- Kinzelman, J.L., A. P. Dufour, L. J. Wymer, G. Rees, K. R. Pond, and R. C. Bagley. 2004. Comparison of Multiple Point and Composite Sampling for the Purpose of Monitoring Bathing Water Quality (Submitted for publication)
- Kinzelman, J. and J. Hiller. 2005. Incorporating Education and Outreach in the Re-Engineering of a Storm Water Outfall Impacting Recreational Water Quality at Two Public Bathing Beaches on Lake Michigan. *Current: The J. of Marine Education.* Submitted for publication.

- Kleinheinz, G.T., McDermott, C.M., and R.W. Sampson. 2003. Recreational Water: Microbial Contamination and Human Health. In: C. Meine (Ed.), *Wisconsin's waters: A confluence of 16 Perspectives*. Transactions of the Wisconsin Academy of Sciences, 90:75-86.
- Lauber, C., L. Glatzer and R. Sinsabaugh. 2003. Prevalence of pathogenic *Escherichia coli* in recreational waters. *J. Great Lakes Res.* 29(2): 301 – 306.
- Lee, J. and R.A. Deininger. 2004. Detection of *E. coli* in beach water within one hour using Immunomagnetic Separation and ATP Bioluminescence. *Luminescence*. 19:31-36.
- Lightfoot, N.E. 1989. A prospective study of swimming related illnesses at six freshwater beaches in southern Ontario. PhD thesis. University of Ontario, Canada.
- Lipp, E.K., S.A. Farrah, and J.B. Rose. 2001. Assessment and Impact of Microbial Fecal Pollution and Human Enteric Pathogens in a Coastal Community. *Marine Poll Bull.* 42 (4): 286-293.
- Malakoff, D. 2002. Microbiologists on the trail of polluting bacteria. *Science* 295: 2353 – 2353.
- McLellan S.L., A.D. Daniels, and A.K. Salmore. 2001. Clonal populations of thermotolerant *Enterobacteriaceae* in recreational water and potential interference with fecal *Escherichia coli* counts. *Appl. Environ. Microbiol.* 67:4934-8.
- McLellan, S., A. Daniels and A. Salmore. 2003. Genetic characterization of *Escherichia coli* populations from host sources of fecal pollution by using DNA fingerprinting. *Appl. Environ. Microbiol.* 69(5): 2587-2594.
- Murray, C., B. Sohngen, and L. Pendleton. 2001. Valuing Water Quality Advisories and Beach Amenities in the Great Lakes. *Water Resources Research.* 37(10) 2583 - 2590.
- Noble, R.E., P. Brown, J. Rose, and E. Lipp. 2000. The Investigation and Analysis of Swimming-associated Illness Using the Fecal Indicator enterococcus in Southern Florida's Marine Water. *Fl J. of Environ. Hlth.* June: 13-19.
- Olyphant, G.A. and R.L. Whitman. 2004. Elements of a predictive model for determining beach closures on a real time basis: The case for 63rd Street beach Chicago. *Environmental Monitoring and Assessment* 98(1-3), 175-190.
- Patz J.A., M.A. McGeehin, S.M. Bernard, K.L. Ebi, P.R. Epstein, A. Grambsch, D.J. Gubler, P. Reiter, I. Romieu, J.B. Rose, J.M. Samet, and J. Trtanj. 2001. The potential health impacts of climate variability and change for the United States - Executive summary of the report of the health sector of the US National Assessment. *J. Environ. Health* 64 (2): 20-28.
- Quintero-Betancourt, W, E.M. Peele, and J. B. Rose. 2002. *Cryptosporidium Parvum* And *Cyclospora Cayetanensis*: A Review Of Laboratory Methods For Detection Of These Waterborne Parasites. *J. Microbiol. Methods* (49) 209-224.
- Rabinovici S.J.M., R.L. Bernknopf, D.L. Coursey, A.M. Wein, and R. L. Whitman. *et al.* 2004. Economic and health risk trade-offs of swim closures at a Lake Michigan beach. *Environ. Sci. Technol.* 38 (10):2737-2745.

- Ram J.L., R.P. Ritchie, J.W. Fang, F.S. Gonzales, and J.P. Selegan. 2004. Sequence-based source tracking of *Escherichia coli* based on genetic diversity of beta-glucuronidase. *Journal of Environmental Quality* 33(3), 1024-1032.
- Rose, J., R. Atlas, C. Gerba, M. Gilchrist, M. LeChavallier, M. Sobsey, M. Yates, G. Cassell and J. Tiedje. 2003. Microbial pollutants in our nations water – environmental and public health issues. American Society for Microbiology Office of Public Affairs. [Online].
- Rose, J.B., D.E. Huffman and A. Gennaccaro, 2002. Risk and Control of Waterborne Cryptosporidiosis. *FEMS Microbiology Reviews* (26)113-123.
- Rose, J.B., P.R. Epstein, E.K. Lipp, B.H. Sherman, S.M. Bernard, and J. A. Patz. 2001. Climate Variability and Change in the United States: Potential Impacts on Water- and Foodborne Diseases Caused by Microbiologic Agents. *Environ. Hlth Persp.* 109 (S2): 211-221.
- Sabat, G., P. Rose, W. Hickey and J. Harkin. 2000. Selective and sensitive method for PCR amplification of *Escherichia coli* 16S rRNA genes in soil. *Appl. Environ. Microbiol.* 66(2): 844 – 849.
- Sampson, R., S. Swiatnicki, C. McDermott and G. Kleinheinz. 2005. *E.coli* at Lake Superior Recreational Beaches. *Journal of Great Lakes Research.* (*In-press*)
- Scopel, C.O. and S.L. McLellan. 2004. Sources and nearshore transport of *Escherichia coli* at Lake Michigan beaches. *Appl. Environ. Microbiol.* (*submitted for publication*)
- Scott, T. M., T.M. Jenkins, J. Lukasik and J.B. Rose. 2005. Potential Use of a Host Associated Molecular Marker in *Enterococcus faecium* as an Index of Human Fecal Pollution; *Environ. Sci. & Tech.* 39: (1) 283 – 287
- Scott, R.M., J.B. Rose, T.M. Jenkins, S.R. Farrah and J. Lukasik. 2002. Microbial Source Tracking: Current Methodology and Future Directions. *Appl. Environ. Microbiol.* 68 (12):5796-5803.
- Selegan J.P.W., R. Kusserow, R. Patel, *et al.* Using zebra mussels to monitor *Escherichia coli* in environmental waters *J. Environ. Quality* 30 (1): 171-179 2001
- Selvakumar, A., M. Borst, M. Boner, and P. Mallon. 2002. Effects of Sample Holding Time on Concentrations of Microorganisms in Water Samples. *Water Environ. Research* 76 (1): 64 – 72.
- Sherry, J.P. 1986. Temporal distribution of faecal pollution indicators and opportunistic pathogens at a Lake Ontario bathing beach. *J. Great Lakes Res.* 12, 154-160.
- Simpson, J., J. Santo Domingo and D. Reasoner. 2002. Microbial source tracking: state of the science. *Environ. Sci. Technol.* 36(24): 5279 – 5288.
- Smith, B.G. and A.P. Dufour. 1997. A modified mTEC medium for monitoring recreational waters. American Society for Microbiology Annual Meeting, May 4-8, 1997, Miami Beach, Florida.
- Stewart. M.H., M.V. Yates, M.A. Anderson, C.P. Gerba, J.B. Rose, R. DeLeon and R.L. Wolfe. 2002. Predicted public health consequences of body-contact recreation on a potable water reservoir. *J. Amer. Water Works Assoc.* 93(5):84-97.

Tseng, C., E. Ting, D. Johnson, M. Saluta, and R. Dunst. 2001. RAPD fingerprinting as a potential means for differentiating human and animal *E. coli*. *Life Science News* (7) 10-11.

Vail, J., R. Morgan, C. Merino, F. Gonzales, R. Miller and J. Ram. 2003. Enumeration of waterborne *Escherichia coli* with petrifilm plates. *J. Environ. Quality* 32: 368 – 373.

Wade, T., N. Pai, J. Eisenberg and J. Colford. 2003. Do U.S. EPA water quality guidelines for recreational waters prevent gastrointestinal illness? A systematic review and meta-analysis. *Environ. Health Perspectives* doi:10.1289/ehp.6241 [Online] <http://dx.doi.org>]

Whitman, R.L. and M.B. Nevers. 2004. *Escherichia coli* sampling reliability at a frequently closed Chicago beach: Monitoring and management implications. *Environmental Science & Technology* 39, 4241-4246.

Whitman, R.L., M.B. Nevers, and P.J. Gerovac. 1999. Interaction of ambient conditions and fecal coliform bacteria in southern Lake Michigan waters: monitoring program implications. *Nat. Areas J.* 19, 166-171.

Whitman, R.L., M.B. Nevers, G. C. Korinek, and M.N. Byappanahalli. 2004. Solar and temporal effects on *Escherichia coli* concentration at a Great Lakes swimming beach. *Applied and Environmental Microbiology* 70, 4276-4285.

Whitman, R.L., T.A. Sobat, W.A. Dustman, and S.W. May. 1991. Fecal contamination source determination of Derby Ditch. Indiana Dunes National Lakeshore, National Park Service, Porter, Indiana.

Drinking Water Quality

Blackburn, Brian G. *et al.* 2004. Surveillance for Waterborne-Disease Outbreaks Associated with Drinking Water - United States, 2001-2002. Surveillance Summaries, Morbidity and Mortality Weekly Report, CDC. 53(SS08);23-45. <http://www.cdc.gov/mmwr/preview/mmwrhtml/ss5308a4.htm>

Cryptosporidium and Water: A Public Health Handbook. 1997. Atlanta, Georgia: Working Group on Waterborne Cryptosporidiosis.

MacKenzie, William R., Neil J. Hoxie, Mary E. Proctor, M. Stephen Gradus, Kahtleen A. Blair, Dan E. Peterson, James J. Kazmierczak, David G. Addis, Kim R. Folx, Joan B. Rose, and Jeffrey P. Davis. 1994. A Massive Outbreak in Milwaukee of *Cryptosporidium* Infection Transmitted through the Public Water Supply. *New England J. of Medicine*, 331(3): 161-167.

PUBLISHED ABSTRACTS

Direct Pollution Sources (CSO, SSO, septic systems, storm water discharge, rivers and streams)

Kinzelman, J. 2003. Evaluating the Efficacy of a Storm Sewer Outfall Re-engineered for the Reduction of Bacterial Contamination to Surface Water - State of Lake Michigan (SOLM)/Great Lakes Beach Association (GLBA) joint conference, Muskegon, MI, October, 2003.

McLellan, S.L. 2004. Genetic diversity of *Escherichia coli* isolated from urban rivers and comparison with *E. coli* from host sources of fecal pollution. American Society of Microbiology 104th General Meeting. New Orleans, LA, May 23-27, 2004.

Salmore A.K. and S.L. McLellan. 2003. Characterization of urban stormwater contaminants in the Menomonee River, Milwaukee, Wisconsin. American Society of Microbiology 103rd General Meeting, Washington D.C., May 18-22, 2003.

Salmore A.K. and S.L. McLellan. 2002. Urban stormwater contributions to poor water quality in the Menomonee River, Milwaukee, Wisconsin. Great Lakes Recreational Water Quality Association, Chicago, Illinois, October 30, 2002.

Thuman, A, S.L. McLellan, C. Magruder, and D. Lau. 2004. Assessing CSO impacts on beaches: A modeling approach. The 77th Annual Water Environment Federation Technical Exhibition and Conference. New Orleans, LA, October 2-6, 2004.

Indirect Pollution Sources (algal blooms, wildlife, runoff, beach sands, contaminated sediments, groundwater)

Kleinheinz, G. and E. Englebort. 2004. *Cladophora* and the beach: Implications for Public Health. Presentation at *Cladophora* research and management in the Great Lakes meeting held at the UW-Milwaukee WATER Institute, December 8, 2004.

McLellan SL, O.A. Olapade, E.T. Jensen and M. Depas. 2005. Sequence analysis of microbial communities on *Cladophora* mats along coastal Lake Michigan. American Society of Microbiology 105th General Meeting. Atlanta, GA, May, 2005.

McLellan, S.L., A.D. Daniels, and L. Peng. 2001. Distinguishing *E. coli* of human and animal origin from environmentally occurring bacteria using molecular-based methods. American Society of Microbiology 101th General Meeting. Orlando, FL, May, 2001.

Osinga, V., R. Sampson, S. Swiatnicki, G.T. Kleinheinz, and C.M. McDermott. 2004. Survival of a Beach-Recovered *E. coli* Isolate in a Lake Water Microcosm. ASM North Central Branch Annual Meeting, Madison, WI, Nov. 12-13, 2004.

Ting, W.T.E., C.C. Tseng, D.S. Johnson, L. Dominguez, J. Vander Hoogt, M. Saluta, and R.L. Whitman. 2000. Genetic diversity of *Escherichia coli* isolated from Lake Michigan water, beach sand, and seagull droppings as revealed by random amplified polymorphic DNA fingerprints. 100th General Meeting of the American Society for Microbiology. 2000 May 21- 25. Los Angeles, California.

Beach and Coastal Assessment Methods

Becker, G. and J. Kinzelman. Remediation & Best Management Practices, A City of Racine Perspective - 2004 International Association of Great Lakes and St. Lawrence Mayors' Conference, Chicago, IL, July 2004

Brown, A., J. Felt, G. Kleinheinz, and C. McDermot. 2004. Detection of *E.coli* contamination at Door County, WI beaches: Association with environmental factors. ASM North Central Branch Annual Meeting, Nov. 12-13, 2004, Madison, WI.

Bruesch, M.E. and P.A. Biedrzycki. 2002. Preliminary comparative analysis of two models used to predict *E. coli* levels in recreational water in Milwaukee. Great Lakes Beach Conference, 2002 October 30. Chicago, Illinois.

- Dufour, A.P., G. Anderson, and R.L. Whitman. 2002. New approaches to rapid testing of indicators of fecal contamination. Great Lakes Beach Conference, 2002 October 30. Chicago, Illinois.
- Felt, J., C. Otte, A. Brown, G.T. Kleinheinz and C. McDermott. 2004. Source-tracking of microbial contamination at Door County, WI. ASM North Central Branch Annual Meeting, Nov. 12-13, 2004, Madison, WI.
- Francy, D.S., and R.A. Darner. 2002. Predictive models for *Escherichia coli* at Ohio bathing beaches. Great Lakes Beach Conference, 2002 October 30. Chicago, Illinois.
- Graves, M.J., B. Langolf, G.T. Kleinheinz, and C.M. McDermott. 2002. Microbial contamination of recreational waters in Oshkosh, WI. Proceedings of the North Central Regional Meeting of the American Society for Microbiology, Minneapolis, MN.
- Hughes, S. S. Hartrich, T. Sandrin, W. Gorman, C. McDermott, and G. Kleinheinz. 2004. *E.coli* and Lake Superior Recreational Beaches. ASM North Central Branch Annual Meeting, Nov. 12-13, 2004, Madison, WI.
- Jeter, S., G. Kleinheinz, and C. McDermott. 2004. *E.coli* and *Staphylococcus aureus* as indicators of contamination of recreational water. ASM North Central Branch Annual Meeting, Madison, WI, Nov. 12-13, 2004.
- Kinzelman, J., A. Dufour, L. Wymer, G. Rees, and R. Bagley. 2004. Composite Sampling as an Alternative Technique for the Determination of Bacterial Indicators in Recreational Waters - U.S. EPA National Beaches Conference, San Diego, CA, October, 2004.
- Kinzelman, J. 2004. The Effectiveness of Spatial Distribution Studies in the Development of Successful, Cost-Effective, Targeted Remediation Efforts - U.S. EPA National Beaches Conference, San Diego, CA, October, 2004.
- Kinzelman, J. 2004. The Improvement of Lake Michigan Surface Water Quality through Targeted Remediation Efforts - Wisconsin Environmental Health Association, Joint Educational Conference, Baraboo, WI, September, 2004.
- Kinzelman, J., A. Dufour, L. Wymer, G. Rees, and R. Bagley. 2004. Comparison of Multiple Point and Composite Sampling for the Purpose of Monitoring Bathing Water Quality - American Society for Microbiology, New Orleans, LA, May, 2004.
- Kinzelman, J. 2004. Integrating Research and Beach Management Strategies for the Improvement of Public and Environmental Health - Sustainable Beaches Summit, Sandestin, FL, March, 2004.
- Kinzelman *et al.* 2003. Characterization of Enterococci in a Freshwater Environment: Applicability as an Indicator of Lake Michigan Recreational Water Quality - American Society for Microbiology, Washington, DC, May, 2003.
- Kinzelman, J. 2003. Assessing Current Beach Management Practices to Reduce Bacterial Contamination of Surface Water - Public Beach Closings Conference, Milwaukee, WI, May, 2003.
- Kinzelman, J. 2003. The Influence of Lake Shore Management Practices on *Escherichia coli* Densities in Foreshore Sands - A Study of North Beach at Racine, WI - Research Symposium, University of Surrey, Guildford, UK, February, 2003.

Kinzelman *et al.* 2002. Evaluation of Mechanical Grooming Techniques on *Escherichia coli* Densities in Foreshore Sands at North Beach, Racine, WI - Great Lakes Recreational Water Quality Association Annual Meeting, Chicago, IL, October, 2002.

Kinzelman *et al.* 2002. *E. coli* Densities in Sands of Two Southwestern Lake Michigan Beaches: Implications for Beach Management - Presented at the 5th International Symposium on Sediment Quality Assessment-SQA5 conference, Chicago, October, 2002 [www.aehms.org, Online]

Kinzelman *et al.* 2002. Effects of Beach Grooming Techniques on *Escherichia coli* Densities in Foreshore Sands at North Beach, Racine, WI – American Society for Microbiology, Salt Lake City, UT, May, 2002.

Kinzelman *et al.* 2002. Use of IDEXX Colilert® Quanti-Tray/2000 as a More Rapid & Simple Enumeration Method for the Detection of *E. coli* in Recreational Waters - Midwest Water Analysts Association, Kenosha, WI, January, 2002.

Kinzelman *et al.* 2001. Use of IDEXX Colilert® Quanti-Tray/2000 as a More Rapid & Simple Enumeration Method for the Detection of *E. coli* in Recreational Waters – U.S. EPA Great Lakes Beach Conference, Chicago, IL, February, 2001.

Langolf, B, M. Graves, C. McDermott, and G.T. Kleinheinz. 2003. Microbial Contamination of Menominee Park Beach in Oshkosh, WI, Proceedings of the North Central Regional Meeting of the American Society for Microbiology, Oshkosh, WI.

Langolf, B, M. Graves, C. McDermott, and G.T. Kleinheinz. 2003. Microbial Contamination of Menominee Park Beach in Oshkosh, WI, MI Branch "Twig" Meeting of the American Society for Microbiology. Marquette, MI.

Langolf, B.M. and G.T. Kleinheinz. 2002. Water Quality Study of Beatons Lake, MI. Annual Student Research and Scholarship Symposium, UW-Oshkosh.

Langolf, B., M. Graves, G.T. Kleinheinz, and C.M. McDermott. 2003. Microbial contamination of recreational waters in Oshkosh, WI. Annual Student Research and Scholarship Symposium, UW-Oshkosh.

McLellan, S.L. 2004. Southeast Environmental Enforcement Network/Midwest Environmental Enforcement Association Spring Conference. Microbial source tracking approaches and application to investigating environmental contamination. Memphis, TN, April 27-30, 2004.

McLellan, S.L., E.T. Jensen, and C.O. Scopel. 2004. Comparison of bacterial source tracking methods in an urban coastal system, the Great Lakes. Environmental Pollution Source Tracking Workshop of Bathing Waters. Robens Centre for Environmental and Public Health, University of Surrey, Guildford, UK, January 11-13, 2004.

McLellan, S.L. and A.K. Salmore. 2003. Differentiating sources of fecal pollution using fecal coliform profiling. Midwest Water Analysts Association Winter Expo. Kenosha, WI, January 2003.

McLellan, S.L., A.D. Daniels, and L. Peng. 2001. *E. coli* source identification using molecular based methods. EPA Great Lakes Beach Conference. Chicago, IL, February 2001.

Otte, C., D. Horn, J. Okon, T. Sandrin, G. Kleinheinz, and C. McDermot. 2004. Monitoring and Molecular Source-tracking of *Escherichia coli* on Door County, WI beaches. ASM North Central Branch Annual Meeting, Nov. 12-13, 2004, Madison, WI.

Pfister, M. 2002. Factors that affect *E. coli* concentrations at Lake Michigan beaches in Lake County, Illinois presented at 2nd Annual Great Lakes Beach Association Annual Meeting, Chicago, IL, October, 2002

Rabinovici, S. J. and R.L. Whitman. 2002. Modeling the variability of *Escherichia coli* at West Beach, Indiana using GIS: Implications for beach management. Great Lakes Beach Conference, October 30, 2002, Chicago, Illinois.

Sampson, R, S. Swiatnicki, C. McDermott, and Kleinheinz, G.T. 2003. Source Tracking and Assessment of *E. coli* at Lake Superior Beaches, Proceedings of the North Central Regional Meeting of the American Society for Microbiology, Oshkosh, WI.

Sampson, R, S. Swiatnicki, and G.T. Kleinheinz. 2003. Lake Superior beach monitoring and microbial source tracking, MI Branch "Twig" Meeting of the American Society for Microbiology. Marquette, MI.

Ting, W. T. E., Johnson, D. S., and C.C. Tseng. 2002. Discriminating *E. coli* isolated from various human and nonhuman sources based on analysis of random amplified polymorphic DNA (RAPD) patterns. Great Lakes Beach Conference. October 30, 2002, Chicago, Illinois.

Topp, E., K. Leung, B. Ball-Coelho and G. Lazarovits. 2002. Identification, environmental fate, and mitigation of biological and chemical contaminants including antibiotics, hormones, enteric bacteria, and genes encoding bacterial pathogenicity and antibiotic resistance. Poster presentation. American Society for Microbiology – 102nd General Meeting, Salt Lake City, Utah.

Great Lakes Beach Association, 4th Annual Meeting, Parma, OH

Direct Pollution Sources (CSO, SSO, septic systems, storm water discharge, rivers and streams)

Corsi, S. Sources and Variability of Cryptosporidium in the Milwaukee River Watershed, GLBA, Parma, OH 2004

Zmuda, J. Estimation of the *Escherichia coli* to fecal Coliform ratio in Wastewater Effluents and Ambient Waters of the Metropolitan Water Reclamation District of Greater Chicago, GLBA, Parma, OH 2004

Indirect Pollution Sources (algal blooms, wildlife, runoff, beach sands, contaminated sediments, groundwater)

Begotka, B., J. Kinzelman, and R. Bagley. The Effects of Beach Slope on Bacterial Counts in Near Shore Sediments and Its Potential Impact on Surface Water Quality, GLBA, Parma, OH 2004

Brady, A. Concentrations of *Escherichia coli* in Water and Bed Sediments in Maumee Bay, Toledo and Oregon, Ohio, GLBA, Parma, OH 2004

Francis, E. Transfer of Antibiotic Resistance Plasmids to *E. coli* in Beach Sand, GLBA, Parma, OH 2004

Kleinheinz, G. Effect of Temperature and Sand on *E. coli* Survival in a Lake Water Microcosm, GLBA, Parma, OH 2004

Kumar Nayak, A. Detection of the Algal Toxin Microcystin in Michigan lakes, GLBA, Parma, OH 2004

Osinga, V., R. Sampson, S. Swiatnicki, G.T. Kleinheinz, and C.M. McDermott. Effect of temperature and sand on *E. coli* survival in a lake water microcosm. GLBA, Parma, OH 2004.

Sigler, V. A library-independent, community-based method to assess structural differences in *E. coli* populations in freshwater and sediment, GLBA, Parma, OH 2004

Struffolino, P. The Role of Suspended Sediment in *E. coli* Transport, GLBA, Parma, OH 2004

Beach and Coastal Assessment Methods

Briggs, S. Beach Monitoring in Michigan. GLBA, Parma, OH 2004

Bushon, R. Rapid Method for the Determination of Fecal-Indicator Bacteria Concentrations in recreational Water, GLBA, Parma, OH 2004

Byappanahalli, M. Solar and Temporal Effects on *Escherichia coli* Concentration at a Lake Michigan Swimming Beach, GLBA, Parma, OH 2004

Byrd, D., Rapid Instrumental Methods for Identification of Micro-Organisms. GLBA, Parma, OH 2004

Byrd, D., The Tale of Two Beaches, GLBA, Parma, OH 2004

Corsi, S. Monitoring and Public Communication of Enteric Pathogen, Fecal Indicator and Real-Time Environmental Data at Madison, Wisconsin Beaches, GLBA, Parma, OH 2004

Dichter, G. Approved U.S. EPA Technology for the Rapid Detection of *E. coli* in Fresh Waters and Enterococci in Marine Waters using DST™ Technology (Colilert®, Colilert-18®, and Enterolert®), GLBA, Parma, OH 2004

Edge, T. Microbial Source Tracking of Fecal Pollution Impacting Lake Ontario Beaches, GLBA, Parma, OH 2004

Francy, D. Source-Tracking Tools for Understanding Fecal Contamination and Predicting Water Quality at Lake Erie Beaches, GLBA, Parma, OH 2004

Hughes, S. S. Hartrich, T. Sandrin, W. Gorman, C. McDermott, and G. Kleinheinz. *E.coli* and Lake Superior Recreational Beaches. GLBA, Parma, OH 2004.

Kinzelman, J. Using a Public-Health Based Monitoring Program to Assess Recreational Water Quality Advisories and Initiate Remediation - GLBA, Parma, OH, 2004

Leamond, B. National Beach Conference Summary (San Diego, California, October 13-15, 2004). GLBA, Parma, OH 2004

McDermott, C. Source Tracking of Microbial Contamination at Lake Michigan (Door County, WI) Beaches Using Various Methods, GLBA, Parma, OH 2004

Nevers, M. Fixed and Random Factors Affecting *E. coli* Results at Southern Lake Michigan Beaches, GLBA, Parma, OH 2004

Parramoure, E., J. Kinzelman, and R. Bagley. Lake Michigan Surface Water Quality: Evaluating the Diurnal Variation of *E. coli* and its Response to Environmental Parameters, GLBA, Parma, OH 2004

Pfister, M. Reducing the Sources: The Lake County, Illinois Experience, GLBA, Parma, OH 2004

Rediske, R. Beach Monitoring in Muskegon County, Michigan: A Partnership between the Annis Water Resources Institute at Grand Valley State University and the Muskegon County Health Department, GLBA, Parma, OH 2004

Sackett, D. NYS Department of Health BEACH Grant 2004. GLBA, Parma, OH 2004

Sams, E. Preliminary Health Burden Analysis for Epidemiologic Recreational Water Studies, GLBA, Parma, OH 2004

Sams, E. The National Environmental and Epidemiological Assessment of Recreational Water: *The relationship between novel indicators of water quality and health*. GLBA, Parma, OH 2004

Santo Domingo, J. The EPA MST Guide Document. GLBA, Parma, OH 2004

Stoekel, D. Results of Microbial Source Tracking Methods Comparison Studies. GLBA, Parma, OH 2004

Whitman, R. Toward a Regional Nowcast Model for Southern Lake Michigan Using Data Readily Available to Beach Managers. GLBA, Parma, OH 2004

Wirick, H. Beaches Environmental Assessment and Coastal Health (BEACH) Act. GLBA, Parma, OH 2004

Projects - Ohio State University Sea Grant

Direct Pollution Sources (CSO, SSO, septic systems, storm water discharge, rivers and streams)

Assessment of Antifouling Mechanisms of Non-toxic Natural Product Antifoulant Incorporated Silicone Coatings (project R/MB-2), Bi-min Newby, The University of Akron, September 2002-August 2004.

Indirect Pollution Sources (algal blooms, wildlife, runoff, beach sands, contaminated sediments, groundwater)

Origin and fate of the organic matter exchanged between coastal wetlands and the Great Lakes (project R/EM-22), Virginie Bouchard, The Ohio State University, March 2002-February 2004.

Heavy Metal Bioremediation Using Genetically Altered Biomass (project R/BT-6), Richard Sayre, The Ohio State University, March 2000-February 2003.

Cyanotoxins in the Great Lakes: Is *Microcystis* Toxin Production Linked to Iron Deficiency? (project R/ER-58-PD), Michael L. McKay, Bowling Green State University, August 2000-May 2001.

Examining the Effects of Lake Water Level Variations on Sediment Resuspension (project R/ES-7), Diane L. Foster, The Ohio State University, March 2003-February 2005.

Beach and Coastal Assessment Methods

The Influence of Water Quality and Lake Amenities on the Demand for Residential Development around Lake Erie (project R/ME-30), Elena Irwin & Tim Haab, The Ohio State University, March 2004-February 2005.

Development of Fluorescent Biosensors for *In Situ* Trace-Metal Quantification and Biomonitoring (project R/BT-8), Richard Sayre, the Ohio State University, June 2003-May 2005.

Understanding the Links between Policy and Patterns of Land Use Change in Urbanizing Watersheds: A Spatial Economic Model of Land Use Conversion (project R/ME-25), Elena Irwin, The Ohio State University, March 2000-February 2002.

Great Lakes Limnology: Interactions Among Physics, Chemistry, and Biology in a Large Lake (project R/ER-62-PD), David A. Culver, The Ohio State University, March 2002-March 2003.

Developing a spatial watershed model to predict the effects of watershed policies on coastal water quality and habitat change (project R/EM-23), Jay F. Martin, The Ohio State University, March 2003-February 2005.

Drinking Water Quality

Advanced Treatment Process for the Removal of Cyanobacterial Toxins from Drinking Water (project R/PS-31), Harold W. Walker, The Ohio State University, March 2003-February 2005.

Other

A comparison of Recreation and Amenity Values in the Lake Erie Basin (project R/ME-24), Brent Sohngen & Leroy Hushak, The Ohio State University, March 2001-February 2003.

The Economic Importance of Nature-based Tourism in Ohio's Lake Erie Tourism industry: The Case of Ottawa and Erie Counties (project R/ME-27-PD), Leroy J. Hushak, The Ohio State University, April 2001-February 2002.

Estimating the Spatial and Temporal Benefits of Recreational Boating and Angling in the Lake Erie Basin (project R/ME-28), Timothy C. Haab, The Ohio State University March 2002-February 2004.

Freshwater Shrimp Production in Southern Ohio (project R/A-16-PD); David Apsley, Laura Tiu, & Geoff Wallat; The Ohio State University Extension-South Centers, April-December 2002.

Impact of Latitude on Freshwater Shrimp Culture in Ohio (project R/A-17-PD); Donald McFeeters, Laura Tiu, & Geoff Wallat, The Ohio State University Extension-South Centers; Jeffrey M. Reutter, Ohio Sea Grant; May 2003-April 2004.

U.S. EPA DOCUMENTS

Direct Pollution Sources (CSO, SSO, septic systems, storm water discharge, rivers and streams)

EPA CSO Guidance Series & Related Reports & Documents. October, 2004. U.S. Environmental Protection Agency. { Available from U.S. EPA in CD-ROM only. }

Indirect Pollution Sources (algal blooms, wildlife, runoff, beach sands, contaminated sediments, groundwater)

United States Environmental Protection Agency. 2003. Protecting water quality from urban runoff. EPA 841-F-03-003. Nonpoint Source Control Branch (4503T), Washington, D.C.

Beach and Coastal Assessment Methods

United States Environmental Protection Agency. 1986. Ambient Water Quality Criteria for Bacteria. EPA 440/5-84-002. Office of Water Regulation and Standards. Criteria and Standards Division. United States Environmental Protection Agency, Washington, D.C.

United States Environmental Protection Agency. Bacterial Water Quality Standards for Recreational Waters (Fresh and Marine). 2000. Status Report. U.S. EPA, Regional Offices and Office of Science and Technology, Standards and Applied Science Division. [Online.] <http://www.epa.gov/OST/beaches/>.

United States Environmental Protection Agency. Office of water (4303T). 2002a. Method 1604: total coliforms and *Escherichia coli* in water by membrane filtration using a simultaneous detection technique (MI medium). EPA-821-R-02-024. Environmental Protections, Regulations, and Standards, Agency Criteria and Standards Division. United States Environmental Protection Agency, Washington, D.C. 20460.

United States Environmental Protection Agency. Office of water (4303T). 2002b. Method 1603: *Escherichia coli* (*E. coli*) in water by membrane filtration using modified membrane-thermotolerant *Escherichia coli* agar (modified mTEC). EPA-821-R-02-023. Environmental Protections, Regulations, and Standards, Agency Criteria and Standards Division. United States Environmental Protection Agency, Washington, D.C. 20460.

United States Environmental Protection Agency. 2000. Beaches environmental assessment and coastal health act of 2000. 106th United States Congress. Public law 106-284.

United States Environmental Protection Agency. 2001. Guidelines establishing test procedures for the analysis of pollutants in ambient water; proposed rule. United States Federal Register – 40 CFR Part 136, Vol. 66, No. 169, August 30, 2001.

United States Environmental Protection Agency. Office of Science and Technology. 2000. Improved Enumeration Methods for the Recreational Water Quality Indicators: Enterococci and *Escherichia coli*., EPA/821/R-97/004. United States Environmental Protection Agency, Washington, D.C. 20460.

United States Environmental Protection Agency. Office of Water. 1999. Action Plan for Beaches and Recreational Waters. EPA/600/R-98/079. United States Environmental Protection Agency, Washington, D.C. 20460.

United States Environmental Protection Agency. United States Office of Water (4305). May 1998. Bacterial water quality standards for recreational water (freshwater and marine waters). *In* Beaches Environmental Assessment, Closure and Health Program - Water Quality. EPA-823-R-98-003. United States Environmental Protection Agency, Washington, D.C. 20460.

United States Environmental Protection Agency. United States Office of Water. 1986. Ambient Water Quality Criteria for Bacteria. EPA 440/5-84-002. U.S. EPA Environmental Protections, Regulations, and Standards, Agency Criteria and Standards Division. United States Environmental Protection Agency, Washington, D.C. 20460.

U.S. EPA. 2002. Great Lakes strategy 2002 - a plan for the new millennium. Promoting clean and healthy beaches. [Online.] <http://www.epa.gov/grtlakes/gls/gls04.html>

Annual reports of the Survey of Great Lakes Bathing Beaches 1981-1996 available at U.S. EPA Library 77, West Jackson Boulevard, Chicago, Illinois 60604-3590.

Richard Haugland, Real-time Quantitative PCR, U.S. EPA Office of Research & Development, NERL, http://clu-in.org/studio/r5productexpo_100604/agenda.cfm

Great Lakes Strategy 2002. U.S. Policy Committee. April, 2002. Annual Tracking reports also available from EPA's Great Lakes National Program Office.

US GEOLOGICAL SURVEY REPORTS

Direct Pollution Sources (CSO, SSO, septic systems, storm water discharge, rivers and streams)

Escherichia coli at Ohio Bathing Beaches—distribution, sources, wastewater indicators, and predictive modeling

<http://oh.water.usgs.gov/reports/Abstracts/wrir02-4285.html>

Indirect Pollution Sources (algal blooms, wildlife, runoff, beach sands, contaminated sediments, groundwater)

Escherichia coli in the swash zone at four Ohio bathing beaches.

<http://oh.water.usgs.gov/reports/fs-134-02.pdf>

Beach and Coastal Assessment Methods

Francy, D.S., Darner, R.A., 1998. Factors affecting *Escherichia coli* concentrations at Lake Erie public bathing beaches. US Geological Survey, Columbus, Ohio.

Forecasting Bacteria Levels at Bathing Beaches in Ohio.

<http://oh.water.usgs.gov/reports/fs-132-02.pdf>

Haack, S. K. 2003. Beach monitoring and forecasting technologies. USGS. [Online.

<http://www.mi.water.usgs.gov/splan8/spl0300/CB02/pdf/beaches>].

United States Geologic Survey. 1998. How do we determine when the beaches are safe for swimming? USGS Fact Sheet FS-112-98.

Whitman, R., T. Horvath, M.L. Goodrich, M. B. Nevers, M. J. Wolcott, and S. K. Haack. 2001. Characterization of *E. coli* at 63rd Street Beach. United States Geological Survey Report. Chicago Park District and the City of Chicago. Agreement #3208-ARH72.

OTHER TECHNICAL REPORTS

Direct Pollution Sources (CSO, SSO, septic systems, storm water discharge, rivers and streams)

Dorfman, M. 2004. Swimming in Sewage- The Growing Problem of Sewage Pollution and How the Bush Administration Is Putting Our Health and Environment at Risk. NRDC/EIP.

Katonak, R. and J. Rose. 2003. Public Health Risks Associated with Wastewater Blending. U.S. EPA.

Association of Metropolitan Sewerage Agencies' January 2005 Action Plan (in response to the Report to Congress): <http://www.amsa-cleanwater.org/advocacy/co/2005-01-14apltr.pdf>

National Resource Defense Council – Swimming in Sewage, 2004.
<http://www.nrdc.org/water/pollution/sewage/sewage.pdf>

Indirect Pollution Sources (algal blooms, wildlife, runoff, beach sands, contaminated sediments, groundwater)

Kinzelman J, R Bagley, S. L. McLellan. 2002. Microbiological and Molecular Examination of Recreational Water and Sediments at North Beach, Racine, Wisconsin - A Technical Report to the Wisconsin Department of Natural Resources, August 2002

Kleinheinz, G. and E. Englebert. 2005. *Cladophora* and the beach: Implications for Public Health. *In-progress*: Technical Report, UW-Milwaukee WATER Institute.

Beach and Coastal Assessment Methods

Beach Advisories, Posting and Closures SOLEC indicator # 4200 in State of the Great Lakes 2005

Foran, J. 2003. Closings and swimming advisories at Lake Michigan beaches near Racine, Wisconsin - sources, trends, and research. A report prepared for the S. C. Johnson Fund, Racine, Wisconsin (5 February 2003).

Kinzelman J, SL McLellan, RC Bagley, S Pedley, K Pond, and G. Rees. 2004. Integrating Research and Beach Management Strategies fro the Improvement of Public and Environmental Health. Annual Report to the SC Johnson Fund.

McLellan SL, AD Daniels, AK Salmore. 2002. Elevated indicator bacteria levels at South Shore Beach: *Escherichia coli* source detection using repetitive element anchored PCR. Great Lakes WATER Institute Technical Report contribution #432.

McLellan, S. 2004. Sources of E. coli at South Shore Beach. Great Lakes WATER Institute Technical Report contribution #445.

National Resource Defense Council – Testing the Waters, 2004.
<http://www.nrdc.org/water/oceans/ttw/titinx.asp>

Other

Dorfman, M. 2004. Testing the Waters 2004-A Guide to Water Quality at Vacation Beaches. NRDC.

Murray, C., Sohngen, B., Lichtkoppler, F., and Bielen, M. 2000. The Economics of Lake Erie Beaches: 1998 Lake Erie Beach Users Survey Results. Ohio Sea Grant Fact Sheet. OHSU-FS-82.

Sohngen, B., Bielen, M., and Lichtkoppler, F. 1999. The Value of Lake Erie Beaches. Ohio Sea Grant Fact Sheet. OHSU-FS-78.

Sohngen, B., Lichtkoppler, F., and Bielen, M. 1999. The Value of Day Trips to Lake Erie Beaches. Ohio Sea Grant Technical Bulletin TB-039.

WEB PAGES

Great Lakes States' Beach WEB Pages

IL: www.idph.state.il.us/envhealth/beachhome.htm
IN: www.in.gov/idem/beaches/proj.html
MI: www.michigan.gov/deq/1,1607,7-135-3313_3686_3730---C1,00.html
MN: www.pca.state.mn.us/water/beaches/
OH: www.odh.state.oh.us/ODHPrograms/BEACH/sample.htm
NY: www.beach.com/stateofthebeach/6-state/state.asp?state=NY
PA: www.great-lakes.net/beachcast/pa
WI: www.dnr.state.wi.us/org/water/wm/wqs/beaches/

Great Lakes Sea Grant

Great Lakes Sea Grant Network, <http://www.greatlakesseagrant.org/>
Ohio Sea Grant, <http://www.sg.ohio-state.edu/>
Illinois-Indiana Sea Grant, <http://www.iisgcp.org/>
Michigan Sea Grant, <http://www.miseagrant.umich.edu/>
Minnesota Sea Grant, <http://www.seagrant.umn.edu/>
New York Sea Grant, <http://www.seagrant.sunysb.edu/>
Pennsylvania Sea Grant, <http://www.pserie.psu.edu/seagrant/seagindex.htm>
Wisconsin Sea Grant, <http://www.seagrant.wisc.edu/>

State of Ohio

Evaluate Ohio's Lake Erie beaches, www.sg.ohio-state.edu

Forecasting Bacteria Levels at Bathing Beaches in Ohio, <http://oh.water.usgs.gov/reports/fs-132-02.pdf>

Escherichia coli in the swash zone at four Ohio bathing beaches. <http://oh.water.usgs.gov/reports/fs-134-02.pdf>

Escherichia coli at Ohio Bathing Beaches—distribution, sources, wastewater indicators, and predictive modeling. <http://oh.water.usgs.gov/reports/Abstracts/wrir02-4285.html>

Ohio Lake Erie Commission/EPA
<http://www.epa.state.oh.us/oleo/>

U.S. Geological Survey Ohio District's "Beach-Monitoring Research" website (including information on Lake Erie research in which the Northeast Ohio Regional Sewer District has been involved):

<http://oh.water.usgs.gov/beaches/>

Ohio Department of Health's "Beach Monitoring" website (including links to Lake Erie beach sample results): <http://www.odh.ohio.gov/ODHPrograms/BEACH/beachmain.htm>

State of Michigan

Michigan Beach Monitoring home page

http://www.michigan.gov/deq/0,1607,7-135-3313_3686_3730---,00.html

Michigan Department of Environmental Quality – Great Lakes

http://www.michigan.gov/deq/1,1607,7-135-3313_3677---,00.html

U.S. EPA

EPA Great Lakes National Program Office

<http://www.epa.gov/glnpo/>

U.S. EPA Beach WEB Page

<http://www.epa.gov/OST/beaches/>

U.S. EPA BEACH Act

<http://www.epa.gov/waterscience/beaches/act.html>

U.S. EPA Beach Standards, Monitoring, and Notification

<http://www.epa.gov/ost/beaches/>

U.S. EPA Beach home page

<http://www.epa.gov/beaches/>

EPA Great Lakes National Program Office

<http://www.epa.gov/glnpo/>

U.S. EPA's "Beach Standards, Monitoring, & Notification" website (including links related to the Clean Beaches Plan and the Beaches Environmental Assessment and Coastal Health Act of 2000)

<http://www.epa.gov/waterscience/beaches/>

U.S. EPA's "Wet Weather Discharges" website (including links to websites on the storm water, CSO, and SSO programs)

<http://cfpub.epa.gov/npdes/wetweather.cfm>

U.S. EPA's "Report to Congress: Impacts and Control of CSOs and SSOs" (delivered August 26, 2004)

http://cfpub.epa.gov/npdes/cso/cpolicy_report2004.cfm

Great Lakes indicators (1998-2002)

<http://www.epa.gov/glnpo/glindicators/water/beachb.html>

U.S. EPA Great Lakes National Program Office (1981-1994 beach report)

<http://www.epa.gov/glnpo/beach/>

National coastal beach data (through 2003)

http://oaspub.epa.gov/beacon/beacon_national_page.main

Other Web Sites

Great Lakes Water Institute

<http://www.uwm.edu/Dept/GLWI/ecoli/>

Great Lakes Beach Association

<http://www.great-lakes.net/glba/>

Great Lakes Information Network (GLIN)

<http://www.great-lakes.net/>

Great Lakes Beach Association Annual Proceedings 2004

<http://www.great-lakes.net/glba/2004conference.html>

Beaches in the Great Lakes Region

<http://www.great-lakes.net/tourism/rec/beach.html#new>

Center for Disease Control; Healthy Swimming

http://www.cdc.gov/healthyswimming/beaches_rivers.htm

<http://www.cdc.gov/healthyswimming/>

Great Lakes BeachCast---many links from this site

http://www.great-lakes.net/beachcast/nr_moreinfo.html

Great Lakes Research Consortium (Dr. Jack Manno)

<http://www.esf.edu/glrc/>

Great Lakes Research Consortium publications

<http://www.esf.edu/glrc/pubs.htm>

Great Lakes Fishery Commission

<http://www.glfc.org/>

Great Lakes Environmental Research Laboratory/NOAA

<http://www.glerl.noaa.gov/>

NOAA Great Lakes Environmental Research Laboratory (GLERL)

Center of Excellence for Great Lakes and Human Health

<http://www.glerl.noaa.gov/res/Centers/HumanHealth/>

USGS Great Lakes Science Center

<http://www.glsc.usgs.gov/>

Great Lakes Commission

<http://www.glc.org/>

International Joint Commission

<http://www.ijc.org/>

International Joint Commission Research Inventory (queriable)

<http://ri.ijc.org>

Great lakes Protection Fund

<http://www.glpf.org/>

International Association for Great lakes Research

<http://www.iaglr.org/>

Duluth Streams

www.DuluthStreams.org

University Centers

[Great Lakes at Buffalo State College](#)

[Great Lakes Environmental Education at Buffalo State College](#)

[The Great Lakes Program at the University at Buffalo](#)

[Great Lakes Aquatic Ecosystem Research Consortium, Ohio State University](#)

[Institute of the Environment, University of Ottawa](#)

[Environmental Modeling Centre, Trent University](#)

[Great Lakes WATER Institute](#)